



EquiFlow: an intelligent airflow distribution

The patented EquiFlow technology ensures a powerful air extraction at the booth openings and a gentle airflow in the automatic section.




Ideal
air distribution

Easy
color change

Ideal layout solution
for every customer

EquiFlow: how does it work?


- The “**H**” shaped air extraction slot in the booth floor creates an ideal airflow distribution.
 - 40% air extraction in the automatic coating area
 - 2 x 30% air extraction at entrance / exit, close to the touch up stations
- The EquiFlow Intellectual Property is **protected by Gema**



Ideal airflow distribution

- The EquiFlow Technology creates **ideal working conditions** in each section of the powder coating booth
- **A smooth and homogeneous airflow** in the central area ensures ideal powder application conditions for automatic coating.
- **A vigorous airflow** at the entrance / exit avoids powder escaping the booth and creates optimal working conditions for the touch-up operators.


Smooth central airflow,
ideal for the
automatic application




Vigorous airflow
to prevent powder escaping

Easy color change

- **Single channel concept** reduces the cleaning efforts.
- Simple and easy to clean channel geometry.
- Cleaning tool provided for easy and accurate channel cleaning.
- **Automatic air-knives** in the booth floor prevent powder accumulations
- Stable **walk-in booth floor** allows easy cleaning of the booths walls.



Cleaning tool



Automatic air-knives

Ideal layout solution for every customer

- EquiFlow technology can be used in different layouts to accommodate every customer's needs
- **MagicCylinder** EquiFlow, the unique round-booth solution
- **MagicCompact** EquiFlow, the compact color change solution
- **MagicCompact XXL** for extra-large parts coating
- Optional pre/post manual coating
- **Great performance, robustness and easy maintenance in every solution**

